References

Aas, K., Eikvil, L., Andersen, T.: *Text recognition from grey level images using hidden Markov models.* Proc. 6th Int. Conf. Computer Analysis of Images and Patterns (CAIP'95), Prague, 1995.

Abdulla, W.H., Kasabov, N.K.: *The concepts of hidden Markov model in speech recognition.* Tech. report TR99/09, University of Otago, New Zealand, 1999.

Abramowitz, M., Stegun, I.A.: *Handbook of mathematical functions.* Appl. Math. Series, Volume 55, Washington, 1964.

Adell, J.A., Jodrá, P.: *The median of the Poisson distribution.* Metrika 61, pp. 337-346, 2005.

Adke, S.R., Deshmukh, S.R.: *Limit distribution of a high order Markov chain.* Jour. Royal Stat. Soc. B, 50(1), pp. 105-108, 1988.

d'Agostino, R.B., Stephens, M.A.: *Goodness-of-fit techniques.* Statistics: textbooks and monographs, vol. 68, Marcel Dekker, Inc., New York, 1986.

Agrawal, R., Imielinski, T., Swami, A.: *Mining association rules between sets of items in large databases.* Proc. ACM SIGMOD Conf. on Managem. of Data, Washington, pp. 207-216, 1993.

Agrawal, R., Srikant, R.: *Fast algorithms for mining association rules.* Proc. 20th Int. Conf. on Very Large Databases, Chile, Santiago, 1994.

Agrawal, R., Srikant, R.: *Mining sequential patterns.* 11th Int. Conf. on Data Engg. (ICDE '95), Taipeh, Taiwan, pp. 3-14, 1995.

Agresti, A.: *Categorical data analysis.* John Wiley & Sons, Inc., New York, 1990.

Al-Osh, M.A., Alzaid, A.A.: *First-order integer-valued autoregressive (INAR(1)) process.* Jour. Time Series Analysis 8(3), pp. 261-275, 1987.

Al-Osh, M.A., Alzaid, A.A.: *Integer-valued moving average (INMA) process.* Stat. Papers 29, pp. 281-300, 1988.

Al-Osh, M.A., Alzaid, A.A.: *Binomial autoregressive moving average models.* Commun. Stat. – Stoch. Models 7(2), pp. 261-282, 1991.

Al-Osh, M.A., Aly, E.-E.A.A.: *First order autoregressive time series with negative binomial and geometric marginals.* Commun. Stat. – Theory Meth. 21(9), pp. 2483-2492, 1992.

Altham, P.M.E.: *Two generalizations of the binomial distribution.* Appl. Stat. 27(2), pp. 162-167, 1978.

ALZAID, A.A., AL-OSH, M.A.: *First-order integer-valued autoregressive process: distributional and regression properties.* Statistica Neerlandica 42, pp. 53-61, 1988.

ALZAID, A.A., AL-OSH, M.A.: *An integer-valued pth-order autoregressive structure (INAR(p)) process.* Jour. Appl. Prob. 27, pp. 314-324, 1990.

ALZAID, A.A., AL-OSH, M.A.: *Generalized Poisson ARMA processes.* Ann. Inst. Stat. Math. 45(2), pp. 223-232, 1993.

AMBAGASPITIYA, R.S., BALAKRISHNAN, N.: *On the compound generalized Poisson distributions.* Astin Bulletin 24(2), pp. 255-263, 1994.

AMIN, R.W., SCHMID, W., FRANK, O.: *The effects of autocorrelation on the R-chart and the S^2-chart.* Sankhyā 59, Series B, pp. 229-255, 1997.

ANTUNES, C.M., OLIVEIRA, A.L.: *Temporal data mining: an overview.* In: KDD Workshop on Temporal Data Mining, pp. 1-13, San Francisco, 2001.

APOSTOLICO, A., SZPANKOWSKI, W.: *Self-alignments in words and their applications.* Jour. Algorithms 13, pp. 446-467, 1992.

APOSTOLICO, A., BOCK, M.E., LONARDI, S., XU, X.: *Efficient detection of unusual words.* Jour. Comp. Biology 7(1/2), pp. 71-94, 2000.

ATZMÜLLER, M., PUPPE, F., BUSCHER, H.-P.: *Exploiting Background Knowledge for Knowledge-Intensive Subgroup Discovery.* Proc. 19[th] Int. Joint Conf. on Artificial Intelligence (IJCAI-05), pp. 647-652, 2005.

BARNSLEY, M.F.: *Fractals everywhere.* Academic Press, San Diego, 1988.

BASU, S., BURMA, D.P., CHAUDHURI, P.: *Words in DNA sequences: some case studies based on their frequency statistics.* Jour. Math. Biol. 46, pp. 479-503, 2003.

BAUMGARTEN, M., BÜCHNER, A.G., HUGHES, J.G.: *Tree Growth Based Episode Mining without Candidate Generation.* Int. Conf. on Artificial Intelligence (IC-AI) 2003, pp 108-114, 2003.

BEDRICK, E.J., ARAGON, J.: *Approximate confidence intervals for the parameters of a stationary binary Markov chain.* Technometrics 31(4), pp. 437-448, 1989.

BEJERANO, G.: *Automata learning and stochastic modeling for biosequence analysis.* PhD thesis, Hebrew University, 2003.

BERA, A.K., HIGGINS, M.L.: *ARCH models: Properties, estimation and testing.* Jour. Time Series Analysis 7(4), pp. 305-366, 1993.

BERCHTHOLD, A., RAFTERY, A.: *The mixture transition distribution model for high-order Markov chains and non-Gaussian time series.* Stat. Science 17(3), pp. 328-356, 2002.

BERSIMIS, S., PSARAKIS, S., PANARETOS, J.: *Multivariate statistical process control charts: An overview.* Qual. Reliab. Engg. Int. 23(5), pp. 517-543, 2007.

BHAT, U.N., LAL, R.: *Attribute control charts for Markov dependent production processes.* IIE Transactions 22(2), pp. 181-188, 1990.

BILLINGSLEY, P.: *Statistical inference for Markov processes.* University of Chicago Press, 1961a.

BILLINGSLEY, P.: *Statistical methods in Markov chains.* Ann. Math. Stat. 32, pp. 12-40, 1961b.

BILLINGSLEY, P.: *Convergence of probability measures.* 1st edition, John Wiley & Sons, Inc., New York, 1968.

BISGAARD, S., TRAVIS, L.E.: *Existence and uniqueness of the solution of the likelihood equations for binary Markov chains.* Stat. & Prob. Letters 12, pp. 29-35, 1991.

BLATTERMAN, D.K., CHAMP, C.W.: *A Shewhart control chart under 100% inspection for Markov dependent attribute data.* Proc. 23rd Annual Modeling and Simul. Conf., pp. 1769-1774, 1992.

BLUM, J.R., HANSON, D.L., KOOPMANS, L.H.: *On the strong law of large numbers for a class of stochastic processes.* Z. Wahrsch.theorie 2(1), pp. 1-11, 1963.

BÖHNING, D.: *A note on a test for Poisson overdispersion.* Biometrika 81(2), pp. 418-419, 1994.

BORROR, C.M., CHAMP, C.W., RIDGON, S.E.: *Poisson EWMA control charts.* Jour. Qual. Tech. 30(4), pp. 352-361, 1998.

BORROR, C.M.: *Statistical analysis of normal and abnormal data.* In: N. Ye (Edt.): The Handbook of Data Mining, Lawrence Erlbaum Associations, Inc., New Jersey, pp. 67-102, 2003.

BOURKE, P.D.: *Detecting a shift in fraction nonconforming using run-length control charts with 100% inspection.* Jour. Qual. Tech. 23(3), pp. 225-238, 1991.

BOX, G.E.P., JENKINS, G.M., REINSEL, G.C.: *Time series analysis – Forecasting and control.* 3rd edition, Prentice Hall, Inc., New Jersey, 1994.

BRÄNNÄS, K., HALL, A.: *Estimation in integer-valued moving average models.* Appl. Stoch. Models in Bus. Ind. 17, pp. 277-291, 2001.

BRÄNNÄS, K., HELLSTRÖM, J., NORDSTRÖM, J.: *A new approach to modelling and forecasting monthly guest nights in hotels.* Int. Jour. Forecasting 18, pp. 19-30, 2002.

BRÄNNÄS, K., QUORESHI, S.: *Integer-valued moving average modelling of the number of transactions in stocks.* Umeå Economic Studies 637, 2004.

BREJOVÁ, B., DiMARCO, C., VINAŘ, T., HIDALGO, S.R., HOLGUIN, G., PATTEN, C.: *Finding patterns in biological sequences.* Tech. report CS-2000-22, University of Waterloo, 2000.

BRÉMAUD, P.: *Markov chains, Gibbs fields, Monte Carlo simulation, and queues.* Springer Verlag, New York, 1999.

BRILL, E.: *A simple rule-based part of speech tagger.* Proc. 3rd Conf. on Appl. Natural Language Processing, ACL, pp. 152-155, 1992.

BROCKWELL, P.J., DAVIS, R.A.: *Time series: Theory and methods.* 2nd edition, Springer Verlag, New York, 1991.

BROCKWELL, P.J., DAVIS, R.A.: *Introduction to time series and forecasting.* 2nd edition, Springer Verlag, New York, 2002.

BRONSTEIN, I.N., SEMENDJAJEW, K.A., MUSIOL, G., MÜHLIG, H.: *Taschenbuch der Mathematik* (In German). Verlag Harri Deutsch, 1993.

BROOK, D., EVANS, D.A.: *An approach to the probability distribution of cusum run length.* Biometrika 59(3), pp. 539-549, 1972.

BÜHLMANN, P., WYNER, A.J.: *Variable length Markov chains.* Ann. Stat. 27, pp. 480-513, 1999.

BÜHLMANN, P.: *Model selection for variable length Markov chains and tuning the context algorithm.* Ann. Inst. Stat. Math. 52, pp. 287-315, 2000.

BULLA, J., BERZEL, A.: *Computational issues in parameter estimation for stationary hidden Markov models.* Comp. Stat. 23(1), pp. 1-18, 2008.

CASAS-GARRIGA, G.: *Discovering unbounded episodes in sequential data.* In: Lavrač et al. (Eds.): Proc. 7th European Conf. on Principles and Practice of Knowl. Disc. in Databases (PKDD 2003), Cavtat-Dubrovnik, Croatia, LNAI 2838, Springer Verlag, pp. 83-94, 2003.

CHAGANTY, N.R., JOE, H.: *Range of correlation matrices for dependent Bernoulli random variables.* Biometrika 93(1), pp. 197-206, 2006.

CHANG, T.J., KAVVAS, M.L., DELLEUR, J.W.: *Modeling of sequences of wet and dry days by binary discrete autoregressive moving average processes.* Jour. Climate and Appl. Meteorology 23, pp. 1367-1378, 1984.

CHARRAS, C., LECROQ, T.: *Handbook of exact string matching*, 2004. Download: `http://www-igm.univ-mlv.fr/~lecroq/string/string.pdf`.

CHARNIAK, E., HENDRICKSON, C., JACOBSON, N., PERKOWITZ, M.: *Equations for part-of-speech tagging*. Proc. 11th Nat. Conf. on Artificial Intelligence, pp. 784-789, 1993.

CHEN, G., CHENG, S.W., XIE, H.: *A new EWMA control chart for monitoring both location and dispersion*. Qual. Tech. & Quant. Managem. 1(2), pp. 217-231, 2004.

CHING, W.-K., NG, M.K.: *Markov chains: Models, algorithms and applications*. Springer Science+Business Media, Inc., 2006.

CHING, W.-K., TAI, A., CHAN, L.Y.: *Hidden Markov model for the detection of machine failure*. IMR Preprint Series 2006 #07, Institute of Math. Research, University of Hong Kong, 2006.

CHOI, K.P.: *On the median of gamma distributions and an equation of Ramanujan*. Proc. Amer. Math. Society 121, pp. 245-251, 1994.

CHOI, S.P.M., YEUNG, D.-Y., ZHANG, N.L.: *Hidden-mode Markov decision processes for nonstationary sequential decision making*. In: Sun & Giles (Eds.): Sequence Learning, LNAI 1828, Springer Verlag, pp. 264-287, 2000.

CHRYSSAPHINOU, O., PAPASTAVRIDIS, S., TSAPELAS, T.: *On the waiting time of appearance of given patterns*. In: Godbole & Papastavridis (Eds.): Runs and Patterns in Prob.: Selected Papers, Kluwer Academic Publishers, Dordrecht, pp. 231-241, 1994.

CHUDOVA, D., SMYTH, P.: *Pattern discovery in sequences under a Markov assumption*. Proc. 8th ACM SIGKDD Int. Conf. on Knowl. Disc. and Data Mining, Edmonton, Alberta, Canada, 2002.

CHURCH, K.W.: *A stochastic parts program and noun phrase parser for unrestricted text*. Proc. 2nd Conf. on Appl. Natural Language Processing, ACL, pp. 136-143, 1988.

CHURCHILL, G.A.: *Stochastic models for heterogeneous DNA sequences*. Bulletin of Math. Biology 51(1), pp. 79-94, 1989.

CLIFFORD, R., ILIOPOULOS, C.: *Approximate string matching for musical analysis*. Soft Computing 8(9), pp. 597-603, 2004.

COHEN, P.R., ADAMS, N.: *An algorithm for segmenting categorical time series into meaningful episodes*. Proc. 4th Int. Symp. on Intelligent Data Analysis (IDA01), Lisbon, Portugal, LNAI 2189, Springer Verlag, pp. 197-205, 2001.

CONSUL, P.C.: *Generalized Poisson distributions – Properties and applications*. Marcel Dekker Inc., New York and Basel, 1989.

CONSUL, P.C., MITTAL, S.P.: *A new urn model with predetermined strategy.* Biometrische Zeitschrift 17, pp. 67-75, 1975.

CONSUL, P.C., MITTAL, S.P.: *Some discrete multinomial probability models with predetermined strategy.* Biometrical Jour. 19, pp. 161-173, 1977.

CORLESS, R.M., GONNET, G.H., HARE, D.E.G., JEFFREY, D.J., KNUTH, D.E.: *On the Lambert W function.* Adv. in Comp. Math. 5, pp. 329-359, 1996.

COX, D.R.: *Partial likelihood.* Biometrika 62(2), pp. 269-276, 1975.

COX, D.R.: *Statistical Analysis of Time Series: Some Recent Developments.* Scand. Jour. Stat. 8, pp. 93-115, 1981.

CRAWFORD, T., ILIOPOULOS, C.S., RAMAN, R.: *String matching techniques for musical similarity and melodic recognition.* Computing in Musicology 11 (Melodic comparison: concepts, procedures, and applications), pp. 73-100, 1998.

CUTTING, D., KUPIEC, J., PEDERSEN, J., SIBUN, P.: *A practical part-of-speech tagger.* Proc. 3rd Conf. on Appl. Natural Language Processing, ACL, pp. 133-140, 1992.

DAS, S.K., COOK, D.J., BHATTACHARYA, A., HEIERMAN, E.O., LIN, T.-Y.: *The role of prediction algorithms in the MavHome Smart Home architecture.* IEEE Wireless Communications 9(6), pp. 77-84, 2002.

DAVIS, R.A., DUNSMUIR, W.T.M., WANG, Y.: *Modelling time series of count data.* In: S. Ghosh (Edt.): Asymptotics, nonparametrics and time series, Marcel Dekker, Inc., New York, pp. 63-114, 1999.

DAVIS, R.A., DUNSMUIR, W.T.M., STREETT, S.B.: *Observation-driven models for Poisson counts.* Biometrika 90(4), pp. 777-790, 2003.

DAVISON, B.D., HIRSH, H.: *Experiments in UNIX command prediction.* Tech. report ML-TR-41, Dep. of Comp. Science, Rutgers University, 1997.

DAVISON, B.D., HIRSH, H.: *Predicting sequences of user actions.* Predicting the future: AI approaches to Time-Series Problems, Tech. report WS-98-07, AAAI Press, 1998a.

DAVISON, B.D., HIRSH, H.: *Probabilistic Online Action Prediction.* AAAI Spring Symp. on Intelligent Environments, 1998b.

DELIGONUL, Z.S., MERGEN, A.E.: *Dependence bias in conventional p-charts and its correction with an approximate lot quality distribution.* Jour. Appl. Stat. 14(1), pp. 75-81, 1987.

DEMING, W. E.: *Some Statistical Logic in the Management of Quality.* Proc. All India Conf. on Qual. Control, pp. 98-119, New Delhi, 1971.

DION, J.-P., GAUTHIER, G., LATOUR, A.: *Branching processes with immigration and integer-valued time series.* Serdica Math. Jour. 21, pp. 123-136, 1995.

DOOB, J.L.: *Stochastic Processes.* John Wiley & Sons, Inc., New York, 1953.

DU, J.-G., LI, Y.: *The integer-valued autoregressive (INAR(p)) model.* Jour. Time Series Analysis 12(2), pp. 129-142, 1991.

DUNCAN, A.J.: *A chi-square chart for controlling a set of percentages.* Industrial Qual. Control 7, pp. 11-15, 1950.

EHRENFEUCHT, A., HAUSSLER, D.: *A new distance metric on strings computable in linear time.* Discrete Appl. Math. 20, pp. 191-203, 1988.

ELDER IV, J.F., PREBIGON, D.: *A statistical perspective on knowledge discovery in databases.* In: Fayyad et al. (Eds.): Adv. in Knowl. Disc. and Data Mining, AAAI/MIT Press, pp. 83-115, 1996.

ELMASRI, R., NAVATHE, S.B.: *Fundamentals of database systems.* 3rd edtition, Addison Wesley Longman, Inc., 2000.

ENGLE, R.F., RUSSELL, J.R.: *Autoregressive conditional duration: A new model for irregularly spaced transaction data.* Econometrica 66(5), pp. 1127-1162, 1998.

DIN EN ISO 9000: *Quality management systems – Fundamentals and vocabulary.* Deutsches Institut für Normung e. V., Beuth Verlag, Berlin, 2005.

FAHRMEIR, L., KAUFMANN, H.: *Regression models for non-stationary categorical time series.* Jour. Time Series Analysis 8(2), pp. 147-160, 1987.

FAHRMEIR, L., TUTZ, G.: *Multivariate statistical modelling based on generalized linear models.* Springer Verlag, New York, 1994.

FALK, M., MAROHN, F., MICHEL, R., HOFFMANN, D., MACKE, M.: *A first course on time series analysis – Examples with SAS*, 2005. Download: `http://statistik.mathematik.uni-wuerzburg.de/timeseries/`.

FAYYAD, U.M., PIATETSKY-SHAPIRO, G., SMYTH, P.: *From data mining to knowledge discovery: An overview.* In: Fayyad et al. (Eds.): Adv. in Knowl. Disc. and Data Mining, AAAI/MIT Press, Cambridge, 1996.

FELLER, W.: *An introduction to probability theory and its applications – Volume I.* 3rd edition, John Wiley & Sons, Inc., 1968.

FELLER, W.: *An introduction to probability theory and its applications – Volume II.* 2nd edition, John Wiley & Sons, Inc., 1971.

FERLAND, R., LATOUR, A., ORAICHI, D.: *Integer-valued GARCH process.* Jour. Time Series Analysis 27(6), pp. 923-942, 2006.

FOKIANOS, K., KEDEM, B.: *Regression theory for categorical time series.* Stat. Science 18(3), pp. 357-376, 2003.

FREELAND, R.K.: *Statistical analysis of discrete time series with applications to the analysis of workers compensation claims data.* PhD thesis, University of British Columbia, Canada, 1998.

FREELAND, R.K., MCCABE, B.P.M.: *Analysis of low count time series data by Poisson autoregression.* Jour. Time Series Analysis 25(5), pp. 701-722, 2004a.

FREELAND, R.K., MCCABE, B.P.M.: *Forecasting discrete valued low count time series.* Int. Jour. Forecasting 20, pp. 427-434, 2004b.

FREELAND, R.K., MCCABE, B.P.M.: *Asymptotic properties of CLS estimators in the Poisson AR(1) model.* Stat. & Prob. Letters 73, pp. 147-153, 2005.

FREEMAN, M.F., TUKEY, J.W.: *Transformations related to the angular and the square root.* Ann. Math. Stat. 21, pp. 607-611, 1950.

FRÖHLICH, P., NEJDL, W., JOBMANN, K., WIETGREFE, H.: *Model-based alarm correlation in cellular phone networks.* Proc. 5th Int. Symp. on Modeling, Analysis, and Simul. of Computer and Telecommunication Systems (MASCOTS), 1997.

FU, J.C.: *Distribution theory of runs and patterns associated with a sequence of multistate trials.* Statistica Sinica 6, pp. 957-974, 1996.

FUDOS, I., PITOURA, E., SZPANKOWSKI, W.: *On pattern occurrences in a random text.* Information Processing Letters 57(6), pp. 307-312, 1996.

GABRIEL, K.R.: *The Distribution of the Number of Successes in a Sequence of Dependent Trials.* Biometrika 46, pp. 454-460, 1959.

GAN, F.F.: *Monitoring observations generated from a binomial distribution using modified exponentially weighted moving average control chart.* Jour. Stat. Comput. Simul. 37, pp. 45-60, 1990a.

GAN, F.F.: *Monitoring Poisson observations using modified exponentially weighted moving average control charts.* Comm. Stat. – Simul. Comp. 19, pp. 103-124, 1990b.

GAN, F.F.: *An optimal design of CUSUM control charts for binomial counts.* Jour. Appl. Stat. 20(4), pp. 445-460, 1993.

GART, J.J., PETTIGREW, H.M.: *On the conditional moments of the k-statistics for the Poisson distribution.* Biometrika 57(3), pp. 661-664, 1970.

GARVIN, D.A.: *Competing on the eight dimensions of quality.* Harvard Business Review (Nov.-Dec. 1987), pp. 101-109, 1987.

GENTLEMAN, J.F., MULLIN, R.C.: *The distribution of the frequency of occurrence of nucleotide subsequences, based on their overlap capability.* Biometrics 45, pp. 35-52, 1989.

GILULA, Z., HABERMAN, S.J.: *Dispersion of categorical variables and penalty functions: Derivation, estimation, and comparability.* Jour. Amer. Stat. Assoc. 90, pp. 1447-1452, 1995.

GÖB, R.: *Bounds for median and 50 percentage point of binomial and negative binomial distribution.* Metrika 41, pp. 43-54, 1994.

GÖB, R.: *Data mining and statistical control – A review and some links.* In: Lenz & Wilrich (Eds.): Frontiers in Stat. Qual. Control 8, Physica-Verlag, Heidelberg, pp. 285-308, 2006.

GODBOLE, A.P.: *Specific formulae for some success run distributions.* Stat. & Prob. Letters 10, pp. 119-124, 1990.

GOODMAN, L.A.: *On simultaneous confidence intervals for multinomial proportions.* Technometrics 7(2), pp. 247-254, 1965.

GOODMAN, L.A., KRUSKAL, W.H.: *Measures of association for cross classifications.* Springer Verlag, New York, 1979.

GWADERA, R., ATALLAH, M.J., SZPANKOWSKI, W.: *Markov models for identification of significant episodes.* Proc. 2005 SIAM Int. Conf. on Data Mining (SDM-05), Newport Beach, California, 2005

GUSFIELD, D.: *Algorithms on strings, trees, and sequences.* Cambridge University Press, reprinted 1999, 1997.

HALD, A.: *Statistical theory of sampling inspection by attributes – Part 1.* Institute of Math. Stat., University of Copenhagen, 1976.

HALD, A.: *Statistical theory of sampling inspection by attributes – Part 2.* Institute of Math. Stat., University of Copenhagen, 1978.

HAMZA, K.: *The smallest uniform upper bound on the distance between the mean and the median of the binomial and Poisson distributions.* Stat. & Prob. Letters 23, pp. 21-25, 1995.

HAN, J., KAMBER, M.: *Data mining: Concepts and techniques.* Morgan Kaufmann Publishers, San Francisco, 2001.

HAND, D.J.: *Data mining: Statistics and more?* The Amer. Stat. 52(2), pp. 112-118, 1998.

HANSEN, A.: *Bioinformatik* (in German). 2nd edition, Birkhäuser Verlag, Basel, 2004.

HE, B., XIE, M., GOH, T.N., TSUI, K.L.: *On control charts based on the generalized Poisson model.* Qual. Tech. & Quant. Managem. 3(4), pp. 383-400, 2006.

HEIERMAN, E., COOK, D.J.: *Improving home automation by discovering regularly occuring device usage patterns.* Proc. Int. Conf. on Data Mining, 2003.

HEINEN, A.: *Modelling Time Series Count Data: An Autoregressive Conditional Poisson Model.* Center for Operations Research and Econometrics (CORE) Discussion Paper No. 2003-63, University of Louvain, Belgium, 2003.

HIRANO, K., AKI, S., KASHIWAGI, N., KUBOKI, H.: *On Ling's binomial and negative binomial distributions of order k.* Stat. & Prob. Letters 11, pp. 503-509, 1991.

HOLZ, T., MEIER, M., KÖNIG, H.: *Bausteine für ein effizientes Intrusion-Detection-System* (in German). Praxis der Informationsverarbeitung Kommunikation - PIK 25(3), pp. 144-157, 2002.

HORN, S.D.: *Goodness-of-fit tests for discrete data: a review and an application to a health impairment scale.* Biometrics 33, pp. 237-248, 1977.

HOTELLING, H.: *Multivariate Quality Control.* In: Eisenhart et al. (Eds.): Techniques of Statistical Analysis, McGraw-Hill, New York, pp. 111-184, 1947.

HUANG, K.-Y., CHANG, C.-H.: *Efficient mining of frequent episodes from complex sequences.* Information Systems 33, pp. 96-114, 2008.

HUETTIG, M., BUSCHER, G., MENZEL, T., SCHEPPACH, W., PUPPE, F., BUSCHER, H.-P.: *A Diagnostic Expert System for Structured Reports, Quality Assessment, and Training of Residents in Sonography.* Medizinische Klinik 99(3), pp. 117-122, 2004.

JACOBS, P.A., LEWIS, P.A.W.: *Discrete time series generated by mixtures. I: Correlational and runs properties.* Jour. Royal Stat. Soc. B, 40(1), pp. 94-105, 1978a.

JACOBS, P.A., LEWIS, P.A.W.: *Discrete time series generated by mixtures. II: Asymptotic properties.* Jour. Royal Stat. Soc. B, 40(2), pp. 222-228, 1978b.

JACOBS, P.A., LEWIS, P.A.W.: *Discrete time series generated by mixtures. III: Autoregressive processes (DAR(p)).* Naval Postgraduate School Tech. Report NPS55-78-022, 1978c.

JACOBS, P.A., LEWIS, P.A.W.: *Stationary discrete autoregressive-moving average time series generated by mixtures.* Jour. Time Series Analysis 4(1), pp. 19-36, 1983.

JEFFREY, H.J.: *Chaos game representation of genetic sequences.* Nucleic Acids Research 18(8), pp. 2163-2170, 1990.

JOE, H.: *Time series models with univariate margins in the convolution-closed infinitely divisible class.* Jour. Appl. Prob. 33, pp. 664-677, 1996.

JOHNSON, N.L., KOTZ, S., KEMP, A.W.: *Univariate discrete distributions.* 2nd edition, John Wiley & Sons, Inc., New York, 1992.

JOHNSON, N.L., KOTZ, S., BALAKRISHNAN, N.: *Discrete multivariate distributions.* John Wiley & Sons, Inc., New York, 1997.

JUNG, R.C, RONNING, G., TREMAYNE, A.R.: *Estimation in Conditional First Order Autoregression with Discrete Support.* Stat. Papers 46, pp. 195-224, 2005.

KANTER, M.: *Autoregression for discrete processes mod 2.* Jour. Appl. Prob. 12, pp. 371-375, 1975.

KARLIS, D., NTZOUFRAS, I.: *Bayesian analysis of the differences of count data.* Stat. in Medicine 25, pp. 1885-1905, 2006.

KATZ, R.W.: *On some criteria for estimating the order of a Markov chain.* Technometrics 23(3), pp. 243-249, 1981.

KEDEM, B.: *Sufficient statistics associated with a two-state second-order Markov chain.* Biometrika 63(1), pp. 127-132, 1976.

KEDEM, B.: *Binary time series.* Marcel Dekker, Inc., New York, 1980.

KEDEM, B., FOKIANOS, K.: *Regression models for time series analysis.* J. Wiley & Sons, Inc., Hoboken, New Jersey, 2002.

KEIM, D.A., KRIEGEL, H.-P.: *Visualization techniques for mining large databases: A comparison.* IEEE Trans. on Knowl. and Data Engg. 8(6), pp. 923-938, 1996.

KEMENY, J.G., SNELL, J.L.: *Finite Markov chains.* D. van Nostrand Company, Inc., Princeton, New Jersey, 1960.

KEOGH, E., LONARDI, S., CHIU, B.Y.-C.: *Finding surprising patterns in a time series database in linear time and space.* Proc. 8th ACM SIGKDD Int. Conf. on Knowl. Disc. and Data Mining (KDD '02), pp. 550-556, 2002.

KIESL, H.: *Ordinale Streuungsmaße – Theoretische Fundierung und statistische Anwendungen* (in German). Josef Eul Verlag, Lohmar, Köln, 2003.

KIM, S., BAI, D.S.: *On parameter estimation in Bernoulli trials with dependence.* Comm. Stat. – Theory Meth. A9(13), pp. 1401-1410, 1980.

KLEMETTINEN, M., MANNILA, H., TOIVONEN, H.: *Rule discovery in telecommunication alarm data.* Jour. Network and System Managem. 7(4), pp. 395-423, 1999.

KLOTZ, J.: *Statistical inference in Bernoulli trials with dependence.* Ann. Stat. 1(2), pp. 373-379, 1973.

KNOTH, S., SCHMID, W., SCHÖNE, A.: *Simultaneous Shewhart-type charts for the mean and the variance of a time series.* In: Lenz & Wilrich (Eds.): Frontiers in Stat. Qual. Control 6, Physica-Verlag, Heidelberg, pp. 61-79, 2001.

KNOTH, S., SCHMID, W.: *Monitoring the mean and the variance of a stationary process.* Statistica Neerlandica 56(1), pp. 77-100, 2002.

KNOTH, S., SCHMID, W.: *Control charts for time series: A review.* In: Lenz & Wilrich (Eds.): Frontiers in Stat. Qual. Control 7, Physica-Verlag, Heidelberg, pp. 210-236, 2004.

KOTWAL, K.S., SHINDE, R.L.: *Markov binomial and trinomial distributions.* Jour. Indian Stat. Assoc. 43(1), pp. 15-31, 2005.

KRAMER, H., SCHMID, W.: *The influence of parameter estimation on the ARL of Shewhart type charts for time series.* Stat. Papers 41, pp. 173-196, 2000.

KROGH, A., BROWN, M., MIAN, I.S., SJÖLANDER, K., HAUSSLER, D.: *Hidden Markov models in computational biology – applications to protein modeling.* Jour. Mol. Biol. 235, pp. 1501-1531, 1994.

KUMAR, N., LOLLA, V.N., KEOGH, E., LONARDI, S., RATANAMAHATANA, C.A., WEI, L.: *Time-series bitmaps: a practical visualization tool for working with large time series databases.* Proc. 5[th] SIAM Int. Conf. on Data Mining (SDM '05), pp. 531-535, 2005.

KUPPER, L.L., HASEMAN, J.K.: *The use of a correlated binomial model for the analysis of certain toxicological experiments.* Biometrics 34, pp. 69-76, 1978.

KURTZ, S.: *Foundations of sequence analysis.* Lecture notes, July 4, 2001. Download: `http://bibiserv.techfak.uni-bielefeld.de/media/seqanalysis/prscript.pdf`.

LADD, D.W.: *An algorithm for the binomial distribution with dependent trials.* Jour. Amer. Stat. Assoc. 70, pp. 333-340, 1975.

LAI, C.D., XIE, M., GOVINDARAJU, K.: *Study of a Markov model for a high-quality dependent process.* Jour. Appl. Stat. 27(4), pp. 461-473, 2000.

LAMBERT, D., LIU, C.: *Adaptive thresholds: Monitoring streams of network counts.* Jour. Amer. Stat. Assoc. 101, pp. 78-88, 2006.

LARSON, H.J.: *Introduction to probability theory and statistical inference.* John Wiley & Sons, Inc., 1969.

LATOUR, A.: *Existence and stochastic structure of a non-negative integer-valued autoregressive process.* Jour. Time Series Analysis 19(4), pp. 439-455, 1998.

LAXMAN, S., SASTRY, P.S.: *Discovering frequent episodes and learning hidden Markov models: A formal connection.* IEEE Transactions on Knowl. Disc. and Data Engg. 17(11), pp. 1505-1517, 2005.

LAXMAN, S., SASTRY, P.S.: *A survey of temporal data mining.* Sādhanā 31(2), pp. 173-198, 2006.

LEHMANN, E.L., CASELLA, G.: *Theory of point estimation.* 2nd edition, Springer Verlag, New York, 1998.

LEWIS, P.A.W.: *Simple models for positive-valued and discrete-valued time series with ARMA correlation structure.* In: Krishnaiah (Edt.): Multivariate Analysis-V, North-Holland Publishing Company, pp. 151-166, 1980.

LI, W.: *The study of correlation structures of DNA sequences: a critical review.* Computers Chem. 21(4), pp. 257-271, 1997.

LIEBETRAU, A.M.: *Measures of association.* Sage Publications, Inc., Newbury Park, 1983.

LIN, J., KEOGH, E., LONARDI, S., LANKFORD, J.P., NYSTROM, D.M.: *Visually monitoring massive time series.* Proc. 10th ACM SIGKDD Int. Conf. on Knowl. Disc. and Data Mining (KDD '04), pp. 460-469, 2002.

LINDQVIST, B.: *A note on Bernoulli trials with dependence.* Scand. Jour. Stat., pp. 205-208, 1978.

LING, K.D.: *On binomial distributions of order k.* Stat. & Prob. Letters 6, pp. 247-250, 1988.

LING, K.D.: *A new class of negative binomial distributions of order k.* Stat. & Prob. Letters 7, pp. 371-376, 1989.

LINGER, R.C.: *Cleanroom software engineering for zero-defect software.* Proc. 15th Int. Conf. on Software Engg., pp. 2-13, 1993.

LOTHAIRE, M.: *Combinatorics on words.* Addison-Wesley, 1982.

LUCAS, J.M.: *Counted data CUSUM's.* Technometrics 27(2), pp. 129-150, 1985.

LUCAS, J.M., SACCUCCI, M.S.: *Exponentially weighted moving average control schemes: Properties and enhancements.* Technometrics 32(1), pp. 1-12, 1990.

MacDonald, I.L., Zucchini, W.: *Hidden Markov and other models for discrete-valued time series.* Chapman & Hall, London, 1997.

Madsen, R.W.: *Generalized binomial distributions.* Comm. Stat. – Theory Meth. 22(11), pp. 3065-3086, 1993.

Makhoul, J., Starner, T., Schwartz, R., Chou, G.: *On-line cursive handwriting recognition using hidden Markov models and statistical grammar.* Proc. Human Language Tech. Workshop, Plainsboro, NJ, pp. 432-436, 1994.

Mann, S., Chen, Y.-P.P.: *Modeling for bioinformatics.* In: Chen (Edt.): Bioinformatics Technologies, Springer Verlag, Berlin, Heidelberg, pp. 263-298, 2005.

Mannila, H., Toivonen, H., Verkamo, A.I.: *Efficient algorithms for discovering association rules.* In: Fayyad & Uthurusamy (Eds.): AAAI Workshop on Knowl. Disc. in Databases, Seattle, Washington, pp. 181-192, 1994.

Mannila, H., Toivonen, H., Verkamo, A.I.: *Discovering frequent episodes in sequences.* Proc. 1st Int. Conf. on Knowl. Disc. and Data Mining (KDD '95), pp. 210-215, 1995.

Mannila, H., Toivonen, H., Verkamo, A.I.: *Discovery of frequent episodes in event sequences.* Data Mining and Knowl. Disc. I, pp. 259-289, 1997.

Marcucci, M.: *Monitoring multinomial processes.* Jour. Qual. Tech. 17(2), pp. 86-91, 1985.

May, W.L., Johnson, W.D.: *Properties of simultaneous confidence intervals for multinomial proportions.* Comm. Stat. – Simul. 26(2), pp. 495-518, 1997.

McGee, M.: *Tests for multiple peaks in the spectra of categorical time series.* Comm. Stat. – Theory Meth. 36, pp. 2891-2900, 2007.

McGee, M., Ensor, K.B.: *Tests for harmonic components in the spectra of categorical time series.* Jour. Time Series Analysis 19, pp. 309-324, 1998.

McGee, M., Harris, I.R.: *Coping with nonstationarity in categorical time series.* Tech. report SMU-TR-319, 2nd version, Southern Methodist University, Dallas, 2005. Download: http://www.smu.edu/statistics/TechReports/TR319.pdf

McKenzie, E.: *Extending the correlation structure of exponential autoregressive-moving-average processes.* Jour. Appl. Prob. 18, pp. 181-189, 1981.

McKenzie, E.: *Some simple models for discrete variate time series.* Water Resources Bulletin 21(4), pp. 645-650, 1985.

McKenzie, E.: *Innovation distributions for gamma and negative binomial autoregressions.* Scand. Jour. Stat. 14, pp. 79-85, 1987.

MCKENZIE, E.: *Some ARMA models for dependent sequences of Poisson counts.* Adv. Appl. Prob. 20, pp. 822-835, 1988.

MEGYESI, B.: *Brill's rule-based part of speech tagger for Hungarian.* D-level thesis, Stockholm University, 1998.

MEHRAN, F.: *Analysis of discrete longitudinal data: infinite-lag Markov models.* In: Dodge (Edt.): Stat. Data Analysis and Inference, Elsevier Science Publishers B.V., 1989.

MILLS, H.D., DYER, M., LINGER, R.C.: *Cleanroom software engineering.* IEEE Software (Sept. 1987), pp. 19-25, 1997.

MING, L., BING, Z.J., ZHI, Z.Y., HONG, Z.D.: *Anticipative event management and intelligent self-recovery for manufacturing.* SIMTech Tech. report (AT/02/020/MET), Singapore Institute of Manufacturing Tech. 2002.

MÖRCHEN, F.: *Time Series Knowledge Mining.* Doctoral dissertation, Philipps-University Marburg/Lahn, 2006.

MONGEAU, M., SANKOFF, D.: *Comparison of musical sequences.* Computers and the Humanities 24, pp. 161-175, 1990.

MONTGOMERY, D.C.: *Introduction to statistical quality control.* 5th edition, John Wiley & Sons, Inc., New York, 2005.

NATARAJAN, P., LU, Z., SCHWARTZ, R., BAZZI, I., MAKHOUL, J.: *Multilingual machine printed OCR.* In: Bunke & Caelli (Eds.): Hidden Markov Models: Applications in Computer Vision, World Scientific Publishing Company, pp. 43-63, 2001.

NELSON, L.S.: *The Shewhart control chart – tests for special causes.* Jour. Qual. Tech. 16(4), pp. 237-239, 1984.

NELSON, L.S.: *A chi-square control chart for several proportions.* Jour. Qual. Tech. 19(4), pp. 229-231, 1987.

NISHINA, K.: *Sampling in Implementation of Statistical Process Control.* In: Ruggeri et al. (Eds.): Encyclopedia of Statistics in Quality and Reliability, John Wiley & Sons Ltd, pp. 1723-1729, 2007.

NORRIS, J.R.: *Markov chains.* Cambridge University Press, 1997.

PADMANABHAN, B.: *The interestingness paradox in pattern discovery.* Jour. Appl. Stat. 31(8), pp. 1019-1035, 2004.

PAGE, E.S.: *Continuous inspection schemes.* Biometrika 41, pp. 100-115, 1954.

PATEL, H.I.: *Quality control methods for multivariate binomial and Poisson distributions.* Technometrics 15(1), pp. 103-112, 1973.

PATIL, G.P.: *Minimum variance unbiased estimation and certain problems of additive number theory.* Ann. Math. Stat. 34, pp. 1050-1056, 1963.

PATIL, G.P., TAILLIE, C.: *Diversity as a concept and its measurement.* Jour. Amer. Stat. Assoc. 77, pp. 548-561, 1982.

PAUL, S.R.: *A three-parameter generalization of the binomial distribution.* Comm. Stat. – Theory Meth. 14(6), pp. 1497-1506, 1985.

PAWŁOWSKI, A.: *Time-series analysis in linguistics: Application of the ARIMA method to cases of spoken Polish.* Jour. Quant. Linguistics 4(1-3), pp. 203-221, 1997.

PAWŁOWSKI, A.: *Language in the line vs. language in the mass: On the efficiency of sequential modelling in the analysis of rhythm.* Jour. Quant. Linguistics 6(1), pp. 70-77, 1999.

PEGRAM, G.G.S.: *An autoregressive model for multilag Markov chains.* Jour. Appl. Prob. 17, pp. 350-362, 1980.

PEIZER, D.B., PRATT, J.W.: *A normal approximation for binomial, F, beta and other common related tail probabilities: I.* Jour. Amer. Stat. Assoc. 63, pp. 1416-1456, 1968.

PHILIPPOU, A.N., GEORGHIOU, C., PHILIPPOU, G.N.: *A generalized geometric distribution and some of its properties.* Stat. & Prob. Letters 1, pp. 171-175, 1983.

PROWELL, S.J., POORE, J.H.: *Computing system reliability using Markov chain usage models.* Jour. Systems and Software 73, pp. 219-225, 2004.

PSARAKIS, S., PAPALEONIDA, G.E.A.: *SPC procedures for monitoring autocorrelated processes.* Qual. Tech. & Quant. Managem. 4(4), pp. 501-540, 2007.

PUPPE, F.: *Knowledge Reuse among Diagnostic Problem-Solving Methods in the Shell-Kit D3.* Int. Jour. Human-Computer Studies 49, pp. 627-649, 1998.

QUESENBERRY, C.P.: *SPC Q charts for a Binomial parameter p: Short or long runs.* Jour. Qual. Tech. 23(3), pp. 239-246, 1991a.

QUESENBERRY, C.P.: *SPC Q charts for a Poisson parameter λ: Short or long runs.* Jour. Qual. Tech. 23(4), pp. 296-303, 1991b.

QUESENBERRY, C.P.: *Geometric Q charts for high quality processes.* Jour. Qual. Tech. 27(4), pp. 304-315, 1995.

RABINER, L.R.: *A tutorial on Hidden Markov models and selected applications in speech recognition.* Proc. IEEE 77(2), pp. 257-286, 1989.

RAFTERY, A.E.: *A model for high-order Markov chains.* Jour. Royal Stat. Soc. B, 47(3), pp. 528-539, 1985.

RAFTERY, A., TAVARÉ, S.: *Estimation and modelling repeated patterns in high order Markov chains with the mixture transition distribution model.* Appl. Stat. 43(1), pp. 179-199, 1994.

RAO, C.R., CHAKRAVARTI, I.M.: *Some small sample tests of significance for a Poisson distribution.* Biometrics 12, pp. 264-282, 1956.

RAVEH, A., TAPIERO, C.S.: *Periodicity, constancy, heterogeneity and the categories of qualitative time series.* Ecology 61(3), pp. 715-719, 1980.

RÉGNIER, M.: *A unified approach to word statistics.* Proc. 2nd Annual Int. Conf. on Comp. Molecular Biology (RECOMB), pp. 207-231, 1998.

RÉGNIER, M., SZPANKOWSKI, W.: *On the approximate pattern occurrences in a text.* Compression and Complexity of Sequences 1997, pp. 253, 1997.

RÉGNIER, M., SZPANKOWSKI, W.: *On pattern frequency occurrences in a Markovian sequence.* Algorithmica 22(4), pp. 631-649, 1998.

REINERT, G., SCHBATH, S., WATERMAN, M.S.: *Probabilistic and statistical properties of words: an overview.* Jour. Comp. Biology 7(1/2), pp. 1-46, 2000.

REISS, R.-D.: *A course on point processes.* Springer Verlag, New York, 1993.

REYNOLDS, M.R., JR., STOUMBOS, Z.G.: *A CUSUM chart for monitoring a proportion when inspecting continuously.* Jour. Qual. Tech. 31(1), pp. 87-108, 1999.

RIBLER, R.L.: *Visualizing categorical time series data with applications to computer and communications network traces.* PhD thesis, Virginia Polytechnic Institute and State University, 1997.

RIDGEWAY, G.: *Prediction in the era of massive datasets.* In: Giudici (Edt.): Proc. Stat. Modelling for Data Mining, pp. 109-119, 2000.

RISSANEN, J.: *A universal data compression system.* IEEE Transactions on Information Theory 29(5), pp. 656-664, 1983.

ROBERTS, S.W.: *Control chart tests based on geometric moving averages.* Technometrics 1, pp. 239-250, 1959.

ROBIN, S., DAUDIN, J.J.: *Exact distribution of word occurrences in a random sequence of letters.* Jour. Appl. Prob. 36, pp. 179-193, 1999.

RON, D., SINGER, Y., TISHBY, N.: *The power of amnesia: Learning probabilistic automata with variable memory length.* Machine Learning 25, pp. 117-149, 1996.

ROUSSAS, G.G.: *A course in mathematical statistics.* 2nd edition, Academic Press, 1997.

RYAN, N.C., SCHWERTMAN, T.P.: *Optimal limits for attributes control charts.* Jour. Qual. Tech. 29(1), pp. 86-98, 1997.

RYDÉN, T.: *Consistent and asymptotically normal parameter estimates for hidden Markov models.* Ann. Stat. 22(4), pp. 1884-1895, 1994.

SAHAI, H., KHURSHID, A.: *Confidence Intervals for the Mean of a Poisson Distribution: A Review.* Biometrical Jour. 35, pp. 857-867, 1993.

SAHAI, H., KHURSHID, A.: *Confidence Intervals for the Probability of Success in the Binomial Distribution: A Review.* Metron 54, pp. 153-179, 1996.

SCHIPPER, S., SCHMID, W.: *Control charts for GARCH processes.* Nonlinear Analysis 47, pp. 2049-2060, 2001.

SCHLITTGEN, R., STREITBERG, B.H.J.: *Zeitreihenanalyse* (in German). 6th edition, R. Oldenbourg Verlag, München, Wien, 1995.

SCHMID, W.: *On the run length of a Shewhart chart for correlated data.* Stat. Papers 36, pp. 111-130, 1995.

SCHMID, W.: *On EWMA charts for time series.* In: Lenz & Wilrich (Eds.): Frontiers in Stat. Qual. Control 5, Physica-Verlag, Heidelberg, pp. 115-137, 1997a.

SCHMID, W.: *CUSUM control schemes for Gaussian processes.* Stat. Papers 38, pp. 191-217, 1997b.

SCHMILL, M.D., OATES, T., COHEN, P.R.: *Tools for detecting dependencies in AI systems.* Proc. 7th Int. IEEE Conf. on Tools with Artificial Intelligence, pp. 148-155, 1995.

SCHÜTZE, H., SINGER, Y.: *Part-of-speech tagging using a variable memory Markov model.* Assoc. for Comp. Linguistics (ACL) 32, pp. 181-187, 1994.

SENETA, E.: *Non-negative matrices and Markov chains.* 2nd edition, Springer Verlag, New York, 1983.

SERFLING, R.J.: *Approximation theorems of mathematical statistics.* John Wiley & Sons, Inc., New York, 1980.

SEVERIN, T., SCHMID, W.: *Monitoring changes in GARCH processes.* Allg. Stat. Archiv (AStA) 83, pp. 281-307, 1999.

DA SILVA, I.M.M.: *Contributions to the analysis of discrete-valued time series.* PhD thesis, University of Porto, 2005.

SILVA, M.E., OLIVEIRA, V.L.: *Difference equations for the higher order moments and cumulants of the INAR(p) model.* Jour. Time Series Analysis 26(1), pp. 17-36, 2005.

SHENTON, L.R.: *Quasibinomial distributions.* In: Kotz/Johnson: Encyclopedia of Stat. Sciences 7, pp. 458-460, 1986.

SHEWHART, W.A.: *Quality control charts.* Bell System Tech. Jour., pp. 593-603, 1926.

SHEWHART, W.A.: *Economic control of quality of manufactured product.* D. van Nostrand Company, Inc., Toronto, Canada, 1931.

SHORROCKS, A. F.: *The measurement of mobility.* Econometrica 46(5), pp. 1013-1024, 1978.

SLUD, E., KEDEM, B.: *Partial likelihood analysis of logistic regression and autoregression.* Statistica Sinica 4, pp. 89-106, 1994.

SRIKANT, R., AGRAWAL, R.: *Mining sequential patterns: Generalizations and performance improvements.* 5[th] Int. Conf. on Extending Database Tech. (EDBT '96), Avignon, France, pp. 3-17, 1996.

STEPHEN, G.A.: *String searching algorithms.* World Scientific Publishing Co. Pte. Ltd., Singapore, 1994.

STEUTEL, F.W., VAN HARN, K.: *Discrete analogues of self-decomposability and stability.* Ann. Prob. 7(5), pp. 893-899, 1979.

STOFFER, D.S.: *Walsh-Fourier analysis of discrete-valued time series.* Jour. Time Series Analysis 8(4), pp. 449-467, 1987.

STOFFER, D.S., TYLER, D.E., McDOUGALL, A.J.: *Spectral analysis for categorical time series: Scaling and the spectral envelope.* Biometrika 80(3), pp. 611-622, 1993.

STOFFER, D.S., TYLER, D.E.: *Matching sequences: Cross-spectral analysis of categorical time series.* Biometrika 85(1), pp. 201-213, 1998.

SZE, S.-H., GELFAND, M.S., PEVZNER, P.A.: *Finding weak motifs in DNA sequences.* Pacific Symp. on Biocomputing 7, pp. 235-246, 2002.

TANG, L.-C., CHEONG, W.-T.: *A control scheme for high-yield correlated production under group inspection.* Jour. Qual. Tech. 38(1), pp. 45-55, 2006.

TAVARÉ, S., ALTHAM, P.M.E.: *Serial dependence of observations leading to contingency tables, and corrections to chi-squared statistics.* Biometrika 70(1), pp. 139-144, 1983.

TAVARÉ, S.: *Serial dependence in contingency tables.* Jour. the Royal Stat. Soc. B, 45(1), pp. 100-106, 1983.

TAYLOR, W.R.: *The classification of amino acid conservation.* Jour. Theor. Biol. 119, pp. 205-218, 1986.

TESTIK, M.C., McCULLOUGH, B.D., BORROR, C.M.: *The effect of estimated parameters on Poisson EWMA control charts.* Qual. Tech. & Quant. Managem. 3(4), pp. 513-527, 2006.

TESTIK, M.C.: *Conditional and marginal performance of the Poisson CUSUM control chart with parameter estimation.* Int. Jour. Production Research 45(23), pp. 5621-5638, 2007.

THEDE, S.M., HARPER, M.P.: *A second-order hidden Markov model for part-of-speech tagging.* Proc. 37[th] annual meeting of the Assoc. for Comp. Linguistics, pp. 175-182, 1999.

THEIL, H.: *Statistical decomposition analysis.* North-Holland Publishing Company, 1972.

TUKEY, J.W.: *Exploratory data analysis.* Addison-Wesley Publishing Company, 1977.

UKKONEN, E.: *Approximate string-matching with q-grams and maximal matches.* Theoretical Computer Science 92, pp. 191-211, 1992.

USCHNER, H.: *Streuungsmessung nominaler Merkmale mit Hilfe von Paarvergleichen* (in German). Doctoral dissertation, Friedrich-Alexander-University Erlangen-Nürnberg, 1987.

VERNIC, R.: *A multivariate generalization of the generalized Poisson distribution.* Astin Bulletin 30(1), pp. 57-67, 2000.

VILO, J.: *Discovering frequent patterns from strings.* Tech. report C-1998-9, Department of Computer Science, University of Helsinki, Finland, 1998.

VILO, J.: *Pattern discovery from biosequences.* PhD thesis, Department of Computer Science, University of Helsinki, Finland, 2002.

VISSER, I., RAIJMAKERS, M.E.J., MOLENAAR, P.C.M.: *Confidence intervals for hidden Markov model parameters.* British Jour. Math. Stat. Psych. 53, pp. 317-327, 2000.

VOGEL, F., KIESL, H.: *Deskriptive und induktive Eigenschaften zweier Streuungsmaße für nominale Merkmale* (in German). In: Vogel (Edt.): Arbeiten aus der Statistik, Otto-Friedrich-University Bamberg, 1999.

WEIß, C.H.: *Controlling correlated processes of Poisson counts.* Qual. Reliab. Engg. Int. 23(6), pp. 741-754, 2007a.

WEIß, C.H.: *Sampling in data mining.* In: Ruggeri et al. (Eds.): Encyclopedia of Statistics in Quality and Reliability, John Wiley & Sons Ltd, pp. 1719-1722, 2007b.

Weiß, C.H.: *Visual analysis of categorical time series*. Stat. Methodology 5(1), pp. 56-71, 2008a.

Weiß, C.H.: *Statistical mining of interesting association rules*. Stat. & Computing 18(2), pp. 185-194, 2008b.

Weiß, C.H.: *Serial dependence and regression of Poisson INARMA models*. Jour. Stat. Planning and Inference 138(10), pp. 2975-2990, 2008c.

Weiß, C.H.: *Thinning operations for modeling time series of counts – a survey*. Adv. in Stat. Analysis (AStA) 92(3), pp. 319-341, 2008d.

Weiß, C.H.: *The combined INAR(p) models for time series of counts*. Stat. & Prob. Letters 78(13), pp. 1817-1822, 2008e.

Weiß, C.H.: *Properties of a class of binary ARMA models*. Statistics: A Jour. of Theoret. and Appl. Stat. 43(2), pp. 131-138, 2009a.

Weiß, C.H.: *Modelling time series of counts with overdispersion*. Appears in Stat. Methods and Applications 18, 2009b.

Weiß, C.H.: *Controlling correlated processes with binomial marginals*. Jour. Appl. Stat. 36(4), pp. 399-414, 2009c.

Weiß, C.H.: *A new class of autoregressive models for time series of binomial counts*. Comm. Stat. – Theory Meth. 38(4), pp. 447-460, 2009d.

Weiß, C.H., Göb, R.: *Measuring serial dependence in categorical time series*. Adv. in Stat. Analysis (AStA) 92(1), pp. 71-89, 2008a.

Weiß, C.H., Göb, R.: *Discovering patterns in categorical time series using IFS*. Comp. Stat. & Data Analysis 52(9), pp. 4369-4379, 2008b.

Weiss, G.M.: *Timeweaver: A genetic algorithm for identifying predictive patterns in sequences of events*. In: Banzhaf et al. (Eds.): Proc. Genetic and Evol. Comp. Conf., Morgan Kaufmann, San Francisco, pp. 719-725, 1999.

Weiss, G.M., Hirsh, H.: *Learning to predict rare events in event sequences*. Proc. 4[th] Int. Conf. on Knowl. Disc. in Databases and Data Mining (KDD-98), pp. 359-363, 1998.

Whittaker, J.A., Poore, J.H.: *Markov analysis of software specifications*. ACM Transactions on Software Engg. and Methodology 2(1), pp. 93-106, 1993.

Woodall, W.H.: *Controversies and contradictions in statistical process control*. Jour. Qual. Tech. 32(4), pp. 341-350, 2000.

Wong, W.H.: *Theory of partial likelihood*. Ann. Stat. 14, pp. 88-123, 1986.

WU, D., ROBERGE, J., CORK, D.J., NGUYEN, B.G., GRACE, T.: *Computer visualization of long genomic sequences.* Proc. Visualization 93, pp. 308-315, Atlanta 1993.

YE, N., GIORDANO, J., FELDMAN, J.: *A process control approach to cyber attack detection.* Comm. of the ACM 44(8), pp. 76-82, 2001.

YE, N., MASUM, S., CHEN, Q., VILBERT, S.: *Multivariate statistical analysis of audit trails for host-based intrusion detection.* IEEE Transactions on Computer 51(7), pp. 810-820, 2002.

YE, N.: *Mining computer and network security data.* In: Ye (Edt.): The Handbook of Data Mining, Lawrence Erlbaum Associations, Inc., New Jersey, pp. 617-636, 2003.

ZEGER, S.L.: *A regression model for time series of counts.* Biometrika 75(4), pp. 621-629, 1988.

ZEGER, S.L., QAQISH, B.: *Markov regression models for time series: A quasi-likelihood approach.* Biometrics 44, pp. 1019-1031, 1988.

ZHANG, L., GOVINDARAJU, K., BEBBINGTON, M., LAI, C.D.: *On the statistical design of geometric control charts.* Qual. Tech. & Quant. Managem. 1(2), pp. 233-243, 2004.

ZHENG, H., BASAWA, I.V., DATTA, S.: *First-order random coefficient integer-valued autoregressive processes.* Jour. Stat. Planning and Inference 173(1), pp. 212-229, 2007.

ZHU, R., JOE, H.: *A new type of discrete self-decomposability and its application to continuous-time Markov processes for modeling count data time series.* Stoch. Models 19(2), pp. 235-254, 2003.

ZHU, R., JOE, H.: *Modelling count data time series with Markov processes based on binomial thinning.* Jour. Time Series Analysis 27(5), pp. 725-738, 2006.