
Absdiff of glob. MSE of cca for pmf
α = 0.33, T = 75
MSE
μ


Absdiff of low. 25% MSE of cca for pmf
α = 0.33, T = 75
MSE
μ


Absdiff of up. 10% MSE of cca for pmf
α = 0.33, T = 75
MSE
μ


Absdiff of glob. MSE of cca for pmf
α = 0.33, T = 250
MSE
μ


Absdiff of low. 25% MSE of cca for pmf
α = 0.33, T = 250
MSE
μ


Absdiff of up. 10% MSE of cca for pmf
α = 0.33, T = 250
MSE
μ


Absdiff of glob. MSE of cca for pmf
α = 0.33, T = 2500
MSE
μ


Absdiff of low. 25% MSE of cca for pmf
α = 0.33, T = 2500
MSE
μ


Absdiff of up. 10% MSE of cca for pmf
α = 0.33, T = 2500
MSE
μ


Absdiff of glob. MSE of cca for pmf
α = 0.55, T = 75
MSE
μ


Absdiff of low. 25% MSE of cca for pmf
α = 0.55, T = 75
MSE
μ


Absdiff of up. 10% MSE of cca for pmf
α = 0.55, T = 75
MSE
μ


Absdiff of glob. MSE of cca for pmf
α = 0.55, T = 250
MSE
μ


Absdiff of low. 25% MSE of cca for pmf
α = 0.55, T = 250
MSE
μ


Absdiff of up. 10% MSE of cca for pmf
α = 0.55, T = 250
MSE
μ


Absdiff of glob. MSE of cca for pmf
α = 0.55, T = 2500
MSE
μ


Absdiff of low. 25% MSE of cca for pmf
α = 0.55, T = 2500
MSE
μ


Absdiff of up. 10% MSE of cca for pmf
α = 0.55, T = 2500
MSE
μ


Absdiff of glob. MSE of cca for pmf
α = 0.8, T = 75
MSE
μ


Absdiff of low. 25% MSE of cca for pmf
α = 0.8, T = 75
MSE
μ


Absdiff of up. 10% MSE of cca for pmf
α = 0.8, T = 75
MSE
μ


Absdiff of glob. MSE of cca for pmf
α = 0.8, T = 250
MSE
μ


Absdiff of low. 25% MSE of cca for pmf
α = 0.8, T = 250
MSE
μ


Absdiff of up. 10% MSE of cca for pmf
α = 0.8, T = 250
MSE
μ


Absdiff of glob. MSE of cca for pmf
α = 0.8, T = 2500
MSE
μ


Absdiff of low. 25% MSE of cca for pmf
α = 0.8, T = 2500
MSE
μ


Absdiff of up. 10% MSE of cca for pmf
α = 0.8, T = 2500
MSE
μ